

MEDICINAL PREPARATION AND A METHOD OF MEDICINAL
ACTION ON HUMAN ORGANISM

sub
a
a' > Field

This invention relates to medicine, namely, to medicinal preparations for use in therapy combining the methods of homeopathic and conventional therapy.

a
~~Background of the invention.~~

Contemporary pharmacotherapy extensively uses medicinal preparations produced chemically or derived from natural raw materials (of botanical, mineral or animal origin). These preparations exhibit therapeutic value and therefore can be applied in a certain range of therapeutic doses.

Also known are homeopathic medicines which contain therapeutic substances in minute, potentiated doses obtained by multiple successive dilution and shaking of the initial medicinal substance or of its trituration.

The latter group can be extended to preparations containing an indifferent material carrier (hereinafter referred to as 'carrier') (water, saline solution, alcohol, etc.) with bioenergetically transferred information on a bioactive substance obtained by homeopathic method (i.e. information on a homeopathic preparation); the field that the carrier possesses has a certain frequency spectrum (references: Patent of Germany 2810344, CL. A61H 39/00, 1984; Patent of Russian Federation 2033784, CL. A61H 39/00, 1995; Patent of Russian Federation 2042349, CL. A61J 3/00, 1995).

The principal disadvantages of the conventional medicines both in therapeutic and homeopathic doses are: discriminatory curative effect dependent on individual sensitivity and psychophysical state of the patient, and possible adverse undesirable after-effects.

09117838-001698

Also known is a method of medicinal action on human organism by medical preparation exposed to external physical factor - gamma-radiation - which enhances activity of the medicine (Patent of Russian Federation 2035167, CL. A61K 35/64, 1995). Yet this approach has limited therapeutic applicability.

Summary

¹ Description of the invention.

An object of the present invention is to create: a fundamentally new class of medicinal preparation (medicinal form) for more effective therapeutical action of the administered medicine; a method of medicinal influence on human organism, free of undesirable adverse after-effects, allergic and/or toxic reactions.

In accomplishing the foregoing objects, there is provided a medicinal preparation of a carrier with information on bioactive substance; according to the present invention, the preparation should constitute an active medicinal substance in therapeutic dose with bioenergetically transferred information thereto from potentiated medicinal preparation; the latter is produced by means of homeopathic methods and has initial chemical formula (composition) identical with that of the active medicinal substance.

DESCRIPTION

¹ PREFERRED EMBODIMENT OF THE INVENTION.

The invention constitutes medicinal preparation comprising a carrier provided with information on a bioactive substance. According to the invention, the carrier comprises: (1) an active medicinal substance in therapeutic dose, (2) a potentiated medicinal preparation produced by methods of homeopathy and combined with (1) by admixing or incorporating thereto. The potentiated preparation has initial chemical formula

09117838.081E98

(composition) identical to that of the active medicinal substance in therapeutic dose.

It is preferred that the active medicinal substance in therapeutic dose and potentiated medicinal preparation admixed thereto had similar (identical) medicinal form.

Also, in accomplishing the stated objects it is provided, in accordance with the invention, that in medicinal action on the organism the medicinal substance in therapeutic dose and potentiated medicinal preparation produced by homeopathic methods are administered simultaneously. The latter preparation has initial chemical formula (composition) identical to that of the former one. In doing this, the medicinal substance in therapeutic dose and the potentiated medicinal preparation may be administered as a single medicine combined thereof at the moment of production, or as separate medicinal forms administered simultaneously, but in either cases as medicines prepared separately.

Conceptually, the present invention claims a novel category (class) of medicinal preparations and/or medicinal forms that can be specified as "Bipathic", combining therapeutic values of medicinal substance in therapeutic dose and potentiated homeopathic preparation chemically homogeneous (in original formula or composition) but different in mechanism of action on the organism. This combination promotes biological activation and induces positive morphological and functional changes in form of "systemic adaptation" responsible for increased therapeutic efficiency of the active medicinal substance with reduced risk of patients' individual reactions and undesirable adverse after-effects.

0911788-081298

Moreover, "bipathic" simultaneous administration of medicinal substance in therapeutic dose and potentiated preparation, according to the invention: (1) provides lower conventional doses of the substance, (2) prevents habituation due to enzyme "induction", (3) prevents overdosage owing to neutralization of negative energies and stimulation of certain organs and of the whole organism.

PREFERRED VARIANT OF REALIZATION.

Medicinal action on the organism is effected by administration of the claimed "bipathic" medicinal preparation.

The medicinal preparation is produced, in accordance with the present invention, from medicinal substance (carrier) obtained chemically or derived from botanical, mineral or animal raw material with therapeutic properties; the preparation can be applied in any known dosage form (solid, liquid, soft, for injections) convenient for practical use in medicinal action on the organism.

EXAMPLE 1.

Prior to transfer of bioenergetic information, 10 ml of 0.5% solution of atropine sulphate (medicine in therapeutic dose) as a carrier, and as a bioactive substance, potentiated preparation Atropini Sulfati C30 obtained by multiple successive dilution and shaking in accordance with homeopathic method, are placed in two separate containers mounted on current-conducting plates connected via a circuit of a known recorder of information signal. During bioenergetic information exchange, information on homeopathically potentiated initial active substance - atropine - is transferred to the carrier. Potentiated atropine has chemical formula identical to that of the carrier and possesses field with

09417338-081E58

certain frequency spectrum. The obtained medicine is applied in ophthalmology as a mydriatic for diagnosis and treatment of inflammatory conditions; it is devoid of accomodation paralysis as an adverse effect.

EXAMPLE 2.

0.01 g of potentiated homeopathic preparation Acidum Salicylicum is pressed into a pill containing 0.5 g of acetylsalicylic acid. The former is produced in accordance with homeopathic method by saturating a neutral substance, lactose, with solution of Acidum Salicylicum in C30 potency. By potentiating, the initial substance - acetylsalicylic acid - is bioenergetically transformed in accordance with homeopathic method into an information form, and the latter is directly transferred by pressing on the carrier possessing chemical formula identical to that of the initial substance. The "bipathic" medicine obtained so demonstrates effective analgesic, anti-inflammatory and antipyretic action with no adverse or allergic reactions. Its therapeutic effect in influenza is accelerated and augmented.

EXAMPLE 3.

A total of 0.005 mg of potentiated prednisolone produced by homeopathic method in the 12th centile dilution (Cortex C12) is incorporated into a carrier - pill containing 1.0 ml of prednisolone - by impregnation with several capillaries. The obtained "bipathic" remedy influences actively carbohydrate and protein metabolism due to augmented anti-inflammatory, desensitizing and anti-allergic qualities of the initial therapeutic substance. When applied for endocrine disorders, it notably reduces severe metabolic disturbances, such as Cushing's syndrome. Positive results devoid of adverse complications can be obtained in cirrhotic liver.

EXAMPLE 4.

09117838.081298

A total of 1.0 ml of potentiated Insulinum C30 produced by homeopathic method through multiple dilution and shaking is admixed to liquid carrier containing 1.0 ml (40 U) of insuline for injections. In the mixture, the hormone demonstrates augmented and prolonged specific action to regulate carbohydrate metabolism, to stimulate assimilation of glucose in the tissues and to promote cellular glucose intake. The obtained "bipathic" remedy is administered in injections for diabetes mellitus and provides therapeutic efficiency at lower doses and reduced risk of adverse effects.

EXAMPLE 5.

A total of 1.0 ml of potentiated remedy Zincum Metallicum produced by homeopathic method in soft form is incorporated into the carrier comprising 10 ml of zinc paste. The obtained "bipathic" remedy is applied in skin diseases. It demonstrates augmented antiseptic, disinfecting and astringent action devoid of skin irritation.

EXAMPLE 6.

In therapy of neoplasms, 20 mg of sarcolysine is injected in 10 ml of saline solution synchronously ("bipathically") with a few (10-15) drops of oral potentiated Sarcolysinum in centile dilution C200. This method of therapeutical action provides lower toxicity of the active medicine and increased therapeutic efficiency.

INDUSTRIAL APPLICABILITY.

To manufacture therapeutic preparation comprising a medicine in therapeutic dose as the carrier with bioenergetically transferred information on potentiated preparation produced by means of homeopathic methods and having initial chemical formula (composition) identical with that of the carrier, one can use known device for

00113303100

recording and transfer of information signal (refer to foregoing Patents: Patent of Germany 2810344; Patent of Russian Federation 2033784; Patent of Russian Federation 2042349).

In doing so the potentiated preparation is (1) produced from the initial substance by multiple successive dilution and shaking or trituration thereof with lactose in accordance with known homeopathic method and in any conventional dosage form (for example, refer to [Гомеопатические лекарственные средства. Руководство по описанию и изготовлению. Доктор Вильмар Швабе «Руководство по изготовлению гомеопатических лекарств» 1950 г.. Пер с немецкого. Под редакцией В.И. Рыбака. Москва, 1967.]) and (2) incorporated into carrier - the medicinal substance in therapeutic dose. The incorporation is performed synchronously with manufacturing of the carrier, for example: by pressing the pellets of lactose impregnated with solution of potentiated substance into the pills of active medicinal substance; by impregnation of the pills of active medicinal substance with dilution of potentiated substance; by mixing the noted components in the same (liquid or soft) dosage form. These procedures are technically accessible even for industrial application in a pharmacy.

00117830-001298

SUMMARY OF THE INVENTION.

Subt
a27

A medicinal preparaton constitutes an active medicinal substance in therapeutic dose as a carrier with bioenergetically transferred information from potentiated medicinal preparation; the latter is produced by means of homeopathic methods and has initial chemical formula (composition) identical with that of the active medicinal substance.

In preferred embodiment of the invention, the medicinal preparation presents the carrier containing an active medicinal substance in therapeutic dose, and combined therewith (by incorporating, dissolving or admixing) is a potentiated medicinal preparation produced by the methods of homeopathy..The latter preparation has initial chemical formula (composition) identical to that of the active medicinal substance in therapeutic dose.

The active medicinal substance in therapeutic dose and the potentiated medicinal preparation have similar or different medicinal dosage forms.

The invention is accomplished either by: (1) administering the said medicinal preparation, or (2) active medicinal substance in therapeutic dose and potentiated medicinal preparation obtained by homeopathic methods, are produced separately and administered simultaneously, and the said potentiated preparation has initial chemical formula (or composition) identical with that of the active medicinal substance.

09117838.001298